

Town of Beacon Falls Water Pollution Control Authority Regular Monthly Meeting Minutes C/O Town Clerk 10 Maple Avenue Beacon Falls, CT 06403 (Subject to revision)

Members Present: J. Smith (JS), D. D'Amico (DD), and B. Swan (BS), C. Muth (CM)

Members Not Present: J. Weed (JW) and C. Brennan (CB) Others Present: 1 member of the public (the applicant)

- 1. <u>Call to Order /Pledge of Allegiance/Roll Call:</u> JS called the meeting to order at 7:34 PM and led the assembled in the pledge of allegiance.
- 2. Read and Approve Minutes from Previous Meetings: Motion to approve meeting minutes from the 9/20/22 and 9/28/22 Special meeting made by **DD/BS**. All ayes.

Motion to add Potential Illegal Sewer Tie-In to New Business under item 6 c. made by **DD**, seconded by **BS**. All ayes.

Motion to add 30 Lorraine Sewer Extension Application to New Business under item 6 d. made by **DD**, seconded by **CM**. All ayes.

3. Comments from the Public:

None

4. New Applications:

None

5. Old Business:

- a. <u>Pump Stations:</u> Motion to accept the report as presented with correspondence to be sent regarding an inquiry of the work to be done on Church St. made by **DD**, seconded by **BS**. All ayes.
- b. **Digester Project:** No Update
- c. <u>Woodland Pool Update:</u> To be removed from the agenda. Correspondence to be sent to maintenance team at Region 16 regarding notification of pool maintenance.
- d. <u>Ordinance Review:</u> Revised ordinance was reviewed by the BOS and sent to the Town Attorney for review. Pending response.

6. New Business:

- a. <u>2023 Meeting Schedule:</u> Clerk confirmed that the board would like to keep the meeting on the third Tuesday of the month. Schedule to be compiled and voted on at the 11/15/22 meeting.
- b. <u>Town Website WPCA Page Review:</u> Clerk explained the possibilities for updating the WPCA board page on the Town of Beacon Falls website. Board agreed. To be discussed and reviewed at the 11/15/22 meeting
- c. <u>Potential Illegal Sewer Tie-In Investigation:</u> Board to work with road foreman to investigate the property in question.
- d. 30 Lorraine Dr. Sewer Extension Discussion & Action: Project representative, Bryan Nestariak went over the current site plans with the board. Discussion opened on the conditions for approval. Discussion was tabled. Special meeting was scheduled for further discussion & action on 10/26/22 at 7:30 PM in the Town Hall Assembly Room.



Town of Beacon Falls
Water Pollution Control Authority
Regular Monthly Meeting Minutes
C/O Town Clerk
10 Maple Avenue Beacon Falls, CT 06403
(Subject to revision)

7. Payment of Bills:

None

8. Correspondence:

None

9. Miscellaneous:

None

10. Petitions from Commissioners:

None

11. Adjournment:

Laun A. Full

Motion to adjourn at 8:38 pm **DD/BS**. All ayes.

Respectfully submitted,

Clerk, WPCA